



Registered with the Registrar
of Newspapers for India under
No. 10410

புதுச்சேரி மாநில அரசிதழ்
La Gazette de L'État de Poudouchéry
The Gazette of Puducherry

PART - II

சிறப்பு வெளியீடு	EXTRAORDINAIRE	EXTRAORDINARY
அதிகாரம் பெற்ற வெளியீடு	Publiée par Autorité	Published by Authority
எண் } புதுச்சேரி	செவ்வாய்க்கிழமை	2026 ௨௪ சூன் 2௨
No. } 32 Poudouchéry	Mardi	2 Juin 2026
No. } Puducherry	Tuesday	2nd June 2026
(12 Jyaistha 1948)		

GOVERNMENT OF PUDUCHERRY
DEPARTMENT OF REVENUE AND DISASTER MANAGEMENT
OFFICE OF THE CONTROLLER OF LEGAL METROLOGY

No. M-17023/44/2025.

Puducherry, dated 2nd June 2026.

NOTIFICATION

In exercise of the powers conferred by sub-section (1) of section 53 of the Legal Metrology Act, 2009 (Act No. 1 of 2010), the Lieutenant-Governor, Puducherry, hereby makes the following rules further to amend the Puducherry Legal Metrology (Enforcement) Rules, 2011, the Draft of the same have been previously notified *vide* G.O. Ms. No. 34, dated 19th March, 2026 and published *vide* Part-II of the Extraordinary Gazette No. 22,

dated 23rd March, 2026 of the Government of Puducherry, as required under sub-section (4) of section 53 of the Legal Metrology Act, 2009, for the general information of the public for a period of ten days to submit objections or suggestions. Upon expiry of this period, no objections or suggestions have been received regarding the above proposal;

Now, therefore, in exercise of the powers conferred by sub-section (1) of section 53 of the Legal Metrology Act, 2009, the Lieutenant-Governor, Puducherry, is pleased to publish the following rules further to amend the Puducherry Legal Metrology (Enforcement) Rules, 2011, namely:—

THE PUDUCHERRY LEGAL METROLOGY (ENFORCEMENT)
(FIRST AMENDMENT) RULES, 2026

1. *Short title and commencement.*— 1. These rules may be called the Puducherry Legal Metrology (Enforcement) (First Amendment) Rules, 2026.

2. They shall come into force on and from the date of their publication in the Official Gazette.

2. *Amendment of Rule 9 (3).*— 1. In the Puducherry Legal Metrology (Enforcement) Rules, 2011, in rule 9, for sub-rule (3), the following sub-rule shall be substituted, namely:—

“(3) Only beam scale of class A or class B category or a non-automatic weighing instrument of high accuracy class (class II) or special accuracy class (class I) having verification interval of 1 mg or less than 1 mg shall be used in any transaction or protection referred to in sub-rules (1) and (2).”

(By order of the Lieutenant-Governor)

MATHEW FRANCIS,
Under Secretary to Government (Revenue).